	Application No.	Applicant(s)
Notice of Allowability	10/828,863	GRUBBA ET AL.
	Examiner	Art Unit
	Nahid Amiri	3679
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment of 21 April 2004</u> .		
2. The allowed claim(s) is/are <u>9-15</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	- - -	
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		atent Application (PTO-152)
2. Notice of Dranperson's Patent Drawing Review (P10-948)	6. ⊠ Interview Summary Paper No./Mail Date	
 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 21 April 2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 		
	8. Examiner's Stateme	nt of Reasons for Allowance
	9.	

Art Unit: 3679

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Anthony Campbell on 15 September 2005.

The application has been amended as follows:

Claim 9, line 7, "bottom slot" change to --bottom tab receiving slot--, and line 8, after "bottom" add --tab receiving--.

Claims 1-8 and 16-20 are canceled.

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: The two views of Fig. 5 will be renumbered as Figs. 5a and 5b. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

The following changes to the specification: Page 7, line 10, "Figure 5 is" change to --Figures 5a and 5b show--, and page 9, line 1, "Figure 5" change to --Figures 5a and 5b--.

Allowable Subject Matter

Claims 9-15 are allowed.

The following is an examiner's statement of reasons for allowance: In regard to claims 9-15, the prior art of record does not show or suggest a fence shield that includes a first strip having a bottom tab and a second strip having a bottom tab receiving slot, a plurality of end tabs Art Unit: 3679

having opposing sides with one side attached to one of the ends of the first and second strips. See lines 7 and 8.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US Patent No. 3,691,373 Compton et al., are cited to show U-shaped device having a tab receiving slot on the opposing end of the first strip and second strip, US Patent No. 6,561,491 B2 Thompson et al., are cited to show a fence guard with a bottom U-shaped shield, and US Patent No. 5,535,545 Matz is cited to shows a garden edging system with bottom end shield.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nahid Amiri whose telephone number is (571) 272-8113. The examiner can normally be reached on 8:30-5:30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola can be reached on (571) 272-7087. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Application/Control Number: 10/828,863 Page 4

Art Unit: 3679

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

N

Nahid Amiri Examiner Art Unit 3679 September 12, 2005

> DANIEL P. STODOLA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600

DWG Correction to be made by applicant




FIG.5